


HALT COVID²

ENG



 **inda**[®]

 **PATIRIS**



Premium

HALTCOVID²



LUXURY - PAPER HAND PASS BARRIER

pag. 6



LUXURY - ENTIRE BARRIER

pag. 8



OFFICE - DESK BARRIER

pag. 10



OFFICE - GROUND BARRIER

pag. 12



OFFICE - COUNTER BARRIER

pag. 14



COOKHOUSE - FOOD/DISH PASS BARRIER

pag. 16



COOKHOUSE - 4 PLACES

pag. 18

Basic

HALTCOVID²



BASIC - DESK BARRIER

pag. 20



BASIC - COUNTER BARRIER

pag. 22



BASIC - FOLDING GROUND BARRIER

pag. 24

HALT COVID

HALT COVID is the line of protective barriers and partitions in glass or crilex/plexiglass and aluminum to protect workplaces, shops and offices open to the public.


Our products offer different solutions in terms of size and style in order to meet both the needs of protection and aesthetics.

They find their ideal application in the workplace and in any type of space in contact with the public, open spaces to dining halls, pharmacies to restaurants, hotel receptions to shops of all kinds.

We believe that our products can satisfy many situations, but if you need a customized solution or for large quantities, please contact us.

Advantages








100%  ITALIAN MATERIAL AND MANUFACTURE



THE USE OF THE DEVICE IS NOT AN ALTERNATIVE TO WHAT IS MENTIONED BY THE GOVERNMENTAL DIRECTIVES ON THE PREVENTION OF CONTAGION.

WHERE TO USE HALT COVID PANELS

Companies that are securing their work environments. Any office where there is contact with the public. Commercial establishments and any type of environment where, out of necessity, people are at close range. In all those contexts the HALT COVID barriers are useful.



Characteristics of the barriers

The panels are made of aluminum uprights and glass or crilex/plexiglass panels.

Glass: transparency and aesthetic appearance. Easily sanitized with alcohol products.

Crilex/plexiglass : glassy solid with high transparency, lightness and bright surface. Easy to clean with a soft cloth and neutral soap or alcoholic solutions.

What can you choose?

- 1

Dimensions of the model
- 2

Profile finishing
- 3

Panels material
- 4

Price based on quantities

How to compose the item code

Item	A [mm]	B [mm]	C [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€]		Net price 7 pc. for item. [€]		Net price 15 pc. for item. [€]	
						Finishing profile ULU	Finishing profile ELO	Finishing profile ULU	Finishing profile ELO	Finishing profile ULU	Finishing profile ELO
I-FC2080	/	/	/	6	TR	4	4	4	4	4	4

1

I-FC2080

Model and dimensions

2

ULU

Finishing profile
ULU = cromato

3

TR

Finishing panel
TR = glass trasparente

Note:

* The prices indicated in the respective tables are net of any discounts, prizes and contributions. They do not participate in the achievement of commercial objectives. Returns are not accepted.

Finishing profiles


Aluminum



ULU
Polished chrome



ELO
Gold aluminum




L91
Matt white



L96
Matt black

Finishing panels

Tempered glass




TR
transparent

Crilex / plexiglass



C
transparent


Special



We can make any customized project. In case of special measures or special colors it is easy to make the price. Just take the highest price of the item and add 30%.

Do you want to have your barriers perfectly suited to a particular space? You can do it with us.

Finishing special



L90
Arctic matt




L92
Sailor blue



L95
Matt grey opaco



L98
Matt sand



L99
Matt turtledove




LUXURY PAPER HAND PASS BARRIER

DESCRIPTION

- ✓ Protective barrier and glass partition panel can be positioned on flat surfaces
- ✓ With opening for documents / goods
- ✓ Transparent, self-supporting
- ✓ Tempered glass 6 mm thick.

IDEAL FOR

- ✓ desks
- ✓ Customer service counters
- ✓ Reception



DIMENSIONS

A: 800/900/1000 mm

B: 700 mm



Item	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€]	Net price 3 pc. for item. [€]
					Finishing profile ULU - ELO	Finishing profile ULU - ELO
I-FC2080	800	700	6	TR	336,00	252,00
I-FC2090	900	700	6	TR	364,00	273,00
I-FC2010	1000	700	6	TR	392,00 **	294,00 **

Maximum shipping times	2 weeks
------------------------	---------

Finishing profile			Finishing panel		Special measures	
	ULU:	Polished chrome	TR:	Trasparent glass	Width	Min. 800 mm. Max. 1300 mm.
	ELO:	Gold aluminum			Height	Min. 400 mm. Max. 900 mm.

* See note pag. 4

** Special +30%





LUXURY ENTIRE BARRIER

DESCRIPTION

- ✓ Protective barrier and glass partition panel that can be positioned on flat surfaces
- ✓ Transparent, self-supporting
- ✓ Tempered glass 6 mm thick.

IDEAL FOR

- ✓ Desks
- ✓ Customer service counters
- ✓ Reception



DIMENSIONS



A: 800/900/1000 mm

B: 700 mm



Item	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€]	Net price 3 pc. for item. [€]
					Finishing profile ULU - ELO	Finishing profile ULU - ELO
I-FC2580	800	700	6	TR	294,00	222,00
I-FC2590	900	700	6	TR	322,00	243,00
I-FC2510	1000	700	6	TR	350,00**	264,00**

Maximum shipping times	2 weeks
------------------------	---------

Finishing profile			Finishing panel	
	ULU:	Polished chrome	TR:	Trasparent glass
	ELO:	Gold aluminunm		

Special measures	
Width	Min. 300 mm. Max. 1300 mm.
Height	Min. 400 mm. Max. 900 mm.

* See note pag. 4

** Special +30%





OFFICE DESK BARRIER

DESCRIPTION

- ✓ Protective barrier and glass partition panel that can be positioned on flat surfaces
- ✓ Transparent, self-supporting
- ✓ Tempered glass 6 mm thick.

IDEAL FOR


- ✓ Desks
- ✓ Tables
- ✓ Reception
- ✓ As a front and side separator



DIMENSIONS



A: 800/1000/1200/1400 mm

B: 700 mm



Item	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€]	Net price 3 pc. for item. [€]
					Finishing profile L91 - L96	Finishing profile L91 - L96
I-FC0308	800	700	6	TR	195,00	199,00
I-FC0310	1000	700	6	TR	209,00	147,00
I-FC0312	1200	700	6	TR	279,00	175,00
I-FC0314	1400	700	6	TR	321,00 **	203,00 **

Maximum shipping times	1 week
------------------------	--------

Finishing profile		Finishing panel	
	L91: Matt white	TR:	Trasparent glass
	L96: Matt black		

Special measures	
Width	Min. 300 mm. Max. 1500 mm.
Height	Min. 400 mm. Max. 900 mm.

* See note pag. 4

** Special +30%





OFFICE GROUND BARRIER

DESCRIPTION

- ✓ Protective barrier and dividing panel in acrylic that can be positioned on flat surfaces
- ✓ Light, transparent, unbreakable, self-supporting
- ✓ Plexiglass thickness 5 mm.

IDEAL FOR

- ✓ Reception
- ✓ Division of areas and accesses
- ✓ Separators for restaurants
- ✓ Tables



DIMENSIONS

A: 900/1200 mm

B: 1895 mm



Item	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€]	Net price 3 pc. for item. [€]
					Finishing profile L91 - L96	Finishing profile L91 - L96
I-FC0109	900	1895	5	C	233,00	140,00
I-FC0112	1200	1895	5	C	246,00 **	149,00 **

Maximum shipping times	1 week
------------------------	--------

Finishing profile			Finishing panel	
<input type="checkbox"/>	L91:	Matt white	C:	Polistyrene
<input checked="" type="checkbox"/>	L96:	Matt black		

Special measures	
Width	Min. 300 mm. Max. 1500 mm.
Height	Min. 150 0mm. Max. 2000 mm.

* See note pag. 4

** Special +30%



OFFICE COUNTER BARRIER

DESCRIPTION

- ✓ Protective barrier and dividing panel in crilex/plexiglass and glass that can be positioned on flat surfaces
- ✓ With opening pass documents / goods
- ✓ Transparent, unbreakable,
- ✓ Tempered glass 6 mm thick.
or Plexiglass 5 mm thick.

IDEAL FOR

- ✓ Desks
- ✓ Work counters
- ✓ Customer service counters
- ✓ Reception



DIMENSIONS



A: 860/1060/1260/1460 mm

B: 700 mm



Item	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€]	Net price 3 pc. for item. [€]
					Finishing profile L91 - L96	Finishing profile L91 - L96
I-FC0208	860	700	6	TR	160,00	97,00
			5	C	139,00	84,00
I-FC0210	1060	700	6	TR	170,00	103,00
			5	C	147,00	89,00
I-FC0212	1260	700	6	TR	185,00	111,00
			5	C	161,00	97,00
I-FC0214	1460	700	6	TR	198,00**	119,00**
			5	C	173,00**	104,00**

Maximum shipping times	1 week
------------------------	--------

Finishing profile			Finishing panel	
	L91:	Matt white	TR:	Trasparent glass
	L96:	Matt black	C:	Polistyrene

Special measures	
Width	Min. 300 mm. Max. 160 0mm.
Height	Min. 400 mm. Max. 900 mm.

* See note pag. 4

** Special +30%



COOKHOUSE


FOOD/DISH PASS BARRIER

DESCRIPTION

- ✓ Protective barrier and dividing panel in acrylic that can be positioned on flat surfaces
- ✓ With opening serving hatch
- ✓ Light, transparent, unbreakable, self-supporting
- ✓ Plexiglass thickness 5 mm.

IDEAL FOR

- ✓ Desks
- ✓ Work counters
- ✓ Customer service counters
- ✓ Reception
- ✓ Bar Restaurant



DIMENSIONS



A: 860/1060/1260/1460 mm

B: 700 mm



Item	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€]	Net price 3 pc. for item. [€]
					Finishing profile L91 - L96	Finishing profile L91 - L96
I-FC0408	860	700	5	C	181,00	103,00
I-FC0410	1060	700	5	C	195,00	108,00
I-FC0412	1260	700	5	C	209,00	118,00
I-FC0414	1460	700	5	C	223,00 **	126,00 **

Maximum shipping times	1 week
------------------------	--------

Finishing profile		Finishing panel	
	L91: Matt white	C:	Polystyrene
	L96: Matt black		

Special measures	
Width	Min. 860 mm. Max. 1600 mm.
Height	Min. 600 mm. Max. 900 mm.

* See note pag. 4

** Special +30%



COOKHOUSE



4 PLACES

DESCRIPTION

- ✓ Protective barrier and dividing panel in acrylic that can be positioned on flat surfaces
- ✓ Light, transparent, unbreakable, self-supporting
- ✓ Plexiglass thickness 5 mm.
- ✓ Divides the table space up to four guests

IDEAL FOR

- ✓ Desks
- ✓ Workcounters
- ✓ Canteens
- ✓ Restaurants
- ✓ Schools



DIMENSIONS

A: 860 mm

B: 600 mm

C: 1400 mm




Item	A [mm]	B [mm]	C [mm]	Thicknes panel [mm]	Unit net price* [€]	Net price 3 pc. for item. [€]
I-FC0500C	800	600	1400	5	335,00	196,00

Maximum shipping times	1 week
------------------------	--------

There are no specials possible


* See note pag. 4




DOUBLE USE



1



2



BASIC DESK BARRIER

DESCRIPTION

- ✓ Protective barrier and dividing panel in acrylic that can be positioned on flat surfaces.
- ✓ With document / merchandise opening.
- ✓ Light, transparent, unbreakable, self-supporting.
- ✓ Without screws, adhesives or other fixing systems. Adjustable in height
- ✓ Plexiglass thickness 5 mm.

IDEAL FOR



- ✓ Deks
- ✓ Workcounters
- ✓ Customer service counters
- ✓ Reception

DIMENSIONS

A: 800/1000 mm

B: 500/650 mm

C: 550/700 mm





Item	A [mm]	B [mm]	C [mm]	Thicknes panel [mm]	Unit net price* [€]	Net price 25 pc. for item. [€]	Net price 50 pc. for item. [€]
I-FC5080CTR	800	500	550	5	83,00	48,00	41,00
I-FC6580CTR	800	650	700	5	86,00	55,00	48,00
I-FC6510CTR	1000	650	700	5	86,00	55,00	48,00

Maximum shipping times	1 week
------------------------	--------

There are no specials possible
* See note pag. 4




BASIC COUNTER BARRIER

DESCRIPTION

- ✓ Protective barrier and dividing panel in acrylic that can be positioned on flat surfaces
- ✓ With opening for documents / goods
- ✓ Light, transparent, unbreakable, self-supporting
- ✓ Plexiglass 3 mm thick.

IDEAL FOR



- ✓ Deks
- ✓ Workcounters
- ✓ Customer service counters
- ✓ Reception



DIMENSIONS

A: 850/1200 mm

B: 700/1000 mm



Item	A [mm]	B [mm]	C [mm]	Thicknes panel [mm]	Unit net price* [€]	Net price 7 pc. for item. [€]	Net price 15 pc. for item. [€]
I-FC7085CTRL1	850	700	/	3	86,00	51,00	48,00
I-FC7012CTRL1	1200	700	/	3	94,00	56,00	51,00
I-FC1085CTRL1	850	1000	/	3	97,00	62,00	56,00
I-FC1012CTRL1	1200	1000	/	3	102,00	65,00	61,00

Maximum shipping times	1 week
------------------------	--------

There are no specials possible

* See note pag. 4





BASIC FOLDING GROUND BARRIER

DESCRIPTION

- ✓ Protective barrier and dividing panel in acrylic that can be positioned on flat surfaces
- ✓ Light, transparent, unbreakable, self-supporting
- ✓ Plexiglass 3 mm thick.
- ✓ Foldable

IDEAL FOR


- ✓ Reception
- ✓ Division of areas and accesses



DIMENSIONS

A: 1200 mm

B: 1822 mm



Item	A [mm]	B [mm]	C [mm]	Thicknes panel [mm]	Unit net price* [€]	Net price 3 pc. for item. [€]	Net price 6 pc. for item. [€]
I-FC1812CTRL1	1200	1822	/	3	238,00	175,00	161,00

Maximum shipping times	1 week
------------------------	--------

There are no specials possible
* See note pag. 4

HALT COVID²



INDA S.p.A. - they exclusively reserve the rights to modify the dimensions, technical characteristics, design of its products, without notice.

All dimensions are indicative and may vary in accordance with European standards.